Wall Plate Multimedia CAT5 Extender ITEM NO.: AT-AV-SR, AT-COMP-SR, AT-COMPAD-SR

The full range of wall plate CAT5 multimedia extenders is using CAT5 structuring cable for easy installation to simplifies and beautifies any audiovisual environment.



Features:

AT-AV-SR Wall Plate Video & Stereo Audio CAT5 Extender

- Send video and stereo audio over one CAT5 UTP cable.
- Wall mountable type for a neat and cleaner installation.
- 3 x RCA female for video and stereo audio.
- Passive, No power required.
- Transmission range up to 300 meters.
- Perfect for integrated home entertainment application.

AT-COMP-SR Wall Plate Component Video CAT5 Extender


- Send component video signals over one CAT5 UTP cable.
- 3 x RCA female to RJ45 female, green color for Y, blue color for Pb, red color for Pr.
- Wall mountable type for a neat and cleaner installation.
- Passive, No power required.
- Support up to HDTV. (480I /480p/720p/1080i)
- Transmission range up to 300 meters.
- Perfect for integrated home entertainment application.

AT-COMPAD-SR Wall Plate Component Video & Digital Audio CAT5 Extender


- Send component video signals over digital audio one CAT5 UTP cable.
- 4 x RCA female to RJ45 female, green color for Y, blue color for Pb, fed color for Pr, orange color for digital audio.
- Wall mountable type for a neat and cleaner installation.
- Passive, No power required.
- Support up to HDTV. (480I /480p/720p/1080i)
- Transmission range up to 300 meters.
- Perfect for integrated home entertainment application.

Installation:


AT-AV-SR




AT-COMP-SR



AT-COMPAD-SR



Panel View:



RJ-45 Jack Pin Define

AT-AV-SR

4

5

7

	RJ - 45 Jack		
	PIN	Color	Function
JACK POSITION	1	W-0	Audio L+
BR W-BR GW-BL BL W-B O W-O	2	0	Audio L-
	3	W-G	Audio R+
	4	BL	х
PAIR4 PAIR3 PAIR1	5	W-BL	х
\sim	6	G	Audio R-
PAIR 2	7	W-BR	Video +
	8	BR	Video -

AT-COMP-SR

	RJ - 45 Jack		
	PIN	Color	Function
JACK POSITION	1	W-0	Pr-
BR W-BR G W-BL BL W-B O W-O	2	0	Pr+
	3	W-G	Pb -
	4	BL	х
PAIR4 PAIR3 PAIR1	5	W-BL	х
\sim	6	G	Pb +
PAIR 2	7	W-BR	Υ-
	8	BR	Y +

AT-COMPAD-SR

	RJ - 45 Jack		45 Jack
	PIN	Color	Function
JACK POSITION	1	W-O	Pr-
BR W-BR G W-BL BL W-G O W-O	2	0	Pr+
	3	W-G	Pb -
	4	BL	Digital Audio +
PAIR 4 PAIR 3 PAIR 1	5	W-BL	Digital Audio -
\sim	6	G	Pb +
PAIR 2	7	W-BR	Y -
	8	BR	Y +

Specification:

ITEM NO.	AT-AV-SR
Video Input (RCA female)	1V p-p, 75 Ohms
Audio Input (RCA female)	Stereo, left and right audio
Audio Input	2V p-p
Video& Audio Output	RJ45
Bandwidth	Video: DC to 5Mhz, Audio: 50Hz to 15Khz
Distance	300 Meters
Cable	Twisted Pair CAT5,CAT5e (AWG24)
Power	X
Dimensions W x H x D mm	70x61x115
Weight g	100

ITEM NO.	AT-COMP-SR
Video Input (RCA female) (Y Pb Pr)	1V p-p, 75 Ohms
Video Output	RJ45
Bandwidth	Video: DC to 5Mhz
Distance	300 Meters
Cable	Twisted Pair CAT5,CAT5e (AWG24)
Dimensions W x H x D mm	70x61x115
Weight g	100

ITEM NO.	AT-COMPAD-SR	
Video Input (RCA female) (Y Pb Pr)	1V p-p, 75 Ohms	
Digital Audlio	V	
Video Output	RJ45	
Bandwidth	Video: DC to 5Mhz	
Distance	300 Meters	
Cable	Twisted Pair CAT5,CAT5e (AWG24)	
Dimensions W x H x D mm	70x61x115	
Weight g	100	



LENEXPO DBA ATLONA 2151 O'TOOLE AVE UNIT D SAN JOSE, CA 95131

TEL: 408-954-8782 FAX: 408-954-8792 TOLL FREE: 1-877-536-3976

manufacturer: www.atlona.com sales: www.lenexpo-electronics.com